



# CITY OF CUDAHY CALIFORNIA





Incorporated November 10, 1960

P.O. Box 1007  
5220 Santa Ana Street  
Cudahy, California 90201-6024  
(323)773-5143  
Fax: (323) 771-2072

## Pool/Spa Fencing and Safety Barriers

Effective July 2013

Select **ONE OF THE FOLLOWING FOUR** options (A to D) to satisfy both City and State requirements governing property fencing and pool safety barriers.



### KEY NOTES:

**1. PROPERTY FENCING and GATES** (PMC Chapter 74, Article V and California Health and Safety Code Section 115920-115929 - Shall be permanent and not less than FIVE FEET (5'-0") high above grade/slab. All gates in the fencing shall be maintained as self-closing and self-latching with every latching device not less than five feet (5'-0") above the ground/finished surface. Driveway and garage vehicle-access doors, overhead doors, and double gates and doors are not permitted as part of the fencing or enclosure. All gates shall be open away from pool side.

**2. BARRIER FENCE** may be permanent OR removable mesh pool fencing (meeting ASTM Specifications F 2286 standards) in conjunction with a gate that is self-closing and self-latching and can accommodate a key lockable device. All gates shall be open away from pool side and equipment with release mechanism place no lower than 54 inches above the floor. A minimum height of FIVE FEET (5'-0") from pool deck outside of the pool fencing area is required.

**3. DOORS** - All doors providing access to pool shall be equipped with approved exit alarms OR be self-closing and latching devices with release mechanisms placed no lower than 54 inches above the floor. Applicable doors: sliding glass and swinging doors, doors from the main house, attached garage, guest house, pool house, and other habitable spaces if they allow access to the pool.

**4. APPROVED POOL COVERS** - Manually or powered-operated safety pool cover meeting all of the performance standards of ASTM F1346-91.

**5. SWIMMING POOL ALARMS** that, when placed in pools, will sound upon detection of accidental or unauthorized entrance into the water meeting ASTM Standard F 2208 "Standards Specification for Pool Alarms" which includes surface motion pressure, sonar, laser, and infrared type alarms. For purpose of this article, "swimming pool alarms" shall not include swimming protection alarm devices designated for individual use, such as an alarm attached to a child that sounds when the child exceeds a certain distance or becomes submerged in water.

**6. CIRCULATION DRAINS AND ANTI-ENTRAPMENT COVERS**